

BEST AVAILABLE COPY

SEARCHED

| Class | Sub. | Date | Exmr. |
|--------|-------|----------|-------|
| 424 | 184.1 | 5/2000 | VR |
| | 234.1 | | |
| | 130.1 | | |
| | 141.1 | | |
| | 142.1 | | |
| | 150.1 | | |
| | 236.1 | | |
| | 241.1 | | |
| 530 | 380 | | |
| | 387.3 | | |
| | 388.1 | | |
| | 388.2 | | |
| update | | 12/12/00 | RE |
| update | | 5/17/01 | RE |
| update | | 9/2/02 | RE |
| update | | 9/15/03 | RE |

SEARCH NOTES (INCLUDING SEARCH STRATEGY)

| | Date | Exmr. |
|---|----------|-------|
| Inventor's name search | 5/2000 | VR |
| STN Diag East | 5/2000 | VR |
| STC sequence search | 5/2000 | |
| ART 177ED9 under table | | |
| update | 12/12/00 | RE |
| update | 5/17/01 | RE |
| East; Medline, Biosis, Caplus, USpatfull, Europatfull | 9/2/02 | RE |
| update | 9/15/03 | RE? |

INTERFERENCE SEARCHED

| Class | Sub. | Date | Exmr. |
|-------|------|------|-------|
| | | | |
| | | | |
| | | | |
| | | | |

(RIGHT OUTSIDE)